

# Astronomy Classification: Towards a Faceted Classification Scheme

Emma Quinlan\* and Pauline Rafferty\*\*

\*Nuffield College Library, New Road, Oxford, OX1 1NF, <emma.quinlan@nuffield.ox.ac.uk>

\*\*Aberystwyth University, Department of Information Studies, Aberystwyth SY23 3UX, <pmr@aber.ac.uk>



Emma Quinlan is an assistant librarian at Nuffield College, University of Oxford, with archive duties. Her main responsibilities include maintaining and facilitating access to the archive collections, managing inter-library loan requests and cataloguing and classification of book stock. As a newly qualified information professional, her research interests include bibliographic classification and MARC21 cataloguing with particular interest in faceted classification and scientific classification schemes. She holds a BSc in observational astronomy from the University of Glamorgan and an MA in information and library studies from Aberystwyth University. This is her first piece of academic output.



Pauline Rafferty is Senior Lecturer at Aberystwyth University, teaching knowledge organization and representation, information architectures, and qualitative approaches to research. Her research interests include knowledge organisation and cultural documentation, and critical communication and information studies. Specific areas of interest include popular culture in and through the web, the democratisation of critical authority, and participative digital cultural production. She holds a PhD in critical theory and cultural studies. Pauline is Joint Editor of *Journal of Information Science* and Joint Regional Editor of *The Electronic Library*. She has co-edited books for Facet and co-written a book for Ashgate.

Quinlan, Emma and Pauline Rafferty. 2019. "Astronomy Classification: Towards a Faceted Classification Scheme. *Knowledge Organization* 46(4): 260-278. 59 references. DOI:10.5771/0943-7444-2019-4-260.

**Abstract:** Astronomy classification is often overlooked in classification discourse. Its rarity and obscurity, especially within UK librarianship, suggests it is an underdeveloped strand of classification research and is possibly undervalued in modern librarianship. The purpose of this research is to investigate the suitability and practicalities of the discipline of astronomy adopting a subject-specific faceted classification scheme and to provide a provisional outline of a special faceted astronomy classification scheme. The research demonstrates that the

application of universal schemes for astronomy classification had left the interdisciplinary subject ill catered for and outdated, making accurate classification difficult for specialist astronomy collections. A faceted approach to classification development is supported by two qualitative literature-based research methods: historical research into astronomy classification and an analytico-synthetic classification case study. The subsequent classification development is influenced through a pragmatic and scholarly-scientific approach and constructed by means of instruction from faceted classification guides by Vickery (1960) and Batley (2005), and faceted classification principles from Ranaganathan (1937). This research fills a gap within classification discourse on specialist interdisciplinary subjects, specifically within astronomy and demonstrates the best means for their classification. It provides a means of assessing further the value of faceted classification within astronomy librarianship.

Received: 5 March 2019; Revised: 7 May 2019; Accepted: 20 May 2019

Keywords: classification, astronomy, subject, notation, classification scheme, faceted

## 1.0 Introduction

### 1.1 Background

Corbin states that (2003, 145): "astronomers have a dependence on the librarian to make needed information accessible." Librarians are the key to providing the means of access to these versatile collections. As well as providing catalogues in which to search for astronomical information, classification of these materials provides the secondary access point which enables information retrieval

and location. It is with this access in mind that this research provides its practicality by creating a means of classifying astronomy collections through a new subject-specific classification scheme.

The scientific discourse of researchers in the field of astronomy is of some interest to knowledge organization researchers, for example Ibekwe-SanJuan's (2008) research revealed the role that geographic location can play in the development of the field and also in the distribution of terminology. In relation to bibliographic classification, Corbin (2003, 142) found that most special astronomy libraries clas-

sify their materials either using an in-house scheme, developed specifically for their collections, or sub-sections of universal classification schemes. Globally, the three most common classification schemes used in astronomy libraries are Library of Congress *Classification (LCC)*, *Dewey Decimal Classification (DDC)*, and Universal Decimal Classification (UDC) (Corbin 2003, 142). While there are no comprehensive astronomy classification schemes to date, there have been previous attempts to create a scheme. The Physics and Astronomy Classification Scheme (PACS), developed by the American Institute of Physics (AIP), was used to classify online journals and indexes, databases, and astronomy and physics catalogues (Hider and Harvey 2008, 126), before it was replaced by the AIP Thesaurus (Access Innovation Inc. 2018). The move from the PACS to the AIP Thesaurus has left an opening within astronomy classification for a new comprehensive astronomy scheme.

A review into discourse on classification theory emphasises two main classification types; enumerative, which have a one-dimensional top-down organisational approach with predefined notation (Loose 1995), and faceted, which are broken down into their constituent parts starting with the subject fields (Broughton 2015) and further divided by “facets” with unset notation (Chowdhury and Chowdhury 2007). There is ambiguity surrounding the term “analytico-synthetic classification;” the term originating as a synonym for “faceted classification.” La Barre (2006), discussing the historical development of faceted analytico-synthetic theory (FAST), notes that while work on FAST began in the 1930s, it was not codified until Ranganathan published *Prolegomena to Library Science* in 1957. Her findings, which showed how FAST underpins the design of informational and promotional websites, demonstrates the ongoing usefulness and significance of FAST in the digital information age. Recent literature by Chowdhury and Chowdhury (2007), Chowdhury (2010), and Broughton (2015) identifies analytico-synthetic as a new classification type, containing both enumerative and faceted features allowing the content of an item to be split into its component parts (analysed; enumerative) and then a class mark to be built from the notation of each part (synthesised; faceted). Therefore, this study defines analytico-synthetic as separate from enumerative and faceted schemes.

A review into why special subject-specific classifications are built produced the following quote by Vickery (1960, 7), summing up the enduring reasoning behind the process:

Several reasons may be given why existing general schemes are unsatisfactory. First, most of them do not give adequate detail for accurate specification of the highly complex subjects in papers and reports that documentation must handle today. Second, de-

spite the comprehensiveness and variety of certain general schemes, they do not fully cater for the special viewpoints of each particular library or information centre. Third, even if they are varied in viewpoint, they do not sufficiently provide for the flexible combination of terms which highly specific subject headings demand. Fourth, even if flexible, they achieve such flexibility only by unnecessarily lengthy or complicated notational means. Fifth, they fail to give optimum helpfulness in filing order.

This perspective is supported by Vickery (1960) and Herner and Meyer (1957) when discussing how quickly evolving and complex subject areas have outgrown universal classification schemes.

Herner and Meyer (1957, 801) found seven requirements for the creation of a specialist classification scheme: 1) terms used must reflect the current use of language within the subject area (hospitable); 2) the scheme must be suitable for the type and purpose of literature (flexible); 3) terms and classes used must be distinguishable in meaning and content (unique); 4) classification structure should allow for equal distribution of documents over an easy to see structure (simple); 5) the scheme must cater for the addition of new subject matter (hospitable); 6) notation must be consistent and easily recognised and deduced (brevity, mnemonic); and, 7) the scheme must group comparable subjects together and use hierarchy for user needs (expressive). The requirements satisfy classification discourse (Berwick Sayers 1955; Chowdhury and Chowdhury 2007; Broughton 2015; Hunter 2018) in that notations need to assume the following qualities: expressiveness, mnemonics, simplicity, uniqueness, brevity, flexibility, and hospitality.

## 1.2 Purpose of research

The purpose of this research is to investigate the suitability and practicalities of the discipline of astronomy adopting a subject-specific faceted classification scheme and offers the beginnings of such a specialist scheme. Faceted science classifications have become popular due to their flexibility and ease of development. Traditional schemes provide a means of classifying universal knowledge, making them time consuming to update and hard to specify. The creation of a specific classification scheme using faceted principles requires minimal time to build (in comparison to a general revision) and will be adaptable to new astronomy topics. This research contributes to the literature in developing the foundations of an astronomy classification using faceted classification principles. It is hoped that this initial study might lead to further development.

## 2.0 Methodology

### 2.1 Research methods

A qualitative methodology is employed in the form of historical research and a case study, influencing and forming the foundation of the faceted classification development. The historical research into the development and use of astronomy notation within universal classification schemes is undertaken using thematic analysis of conference proceedings and practical evaluation of primary classification schedules. The conference proceedings were from the Astronomical Society of the Pacific Conference Series, the Library and Information Services in Astronomy (LISA) conferences, ranging from LISA I (1988) to VIII (2017), and the Astronomical Data Analysis Software and Systems (ADASS) conferences, ranging from ADASS XV (2005) to XXIII (2013). All articles were chosen based on their topic applicability within astronomy classification with a total of ten analysed thematically. Classification schemes offering astronomy notation are analysed within the context of their suitability in providing detailed subject-specific notation and this highlights the issues of astronomy notation creation. The literature-based case study of *INSPEC*, a faceted/analytico-synthetic physics classification, involving the review and analysis of *INSPEC* schedules and secondary literature is undertaken to examine whether interdisciplinary subjects are suited to faceted library classifications. The schemes notational qualities are analysed using an analytical framework based on Berwick Sayers' (1955, 60) ideal qualities of classification schemes. The case study highlights the suitability of faceted classification principles being adopted in interdisciplinary subjects and provides a grounded classification example for the faceted astronomy classification. The application of the research findings contributes to the development of the faceted astronomy classification.

### 2.2 Analysis of findings and classification development

The findings of the historical research are analysed thematically from the grouping of codes, comprising of the types of astronomy classification: *LCC*, *DDC*, *UDC*, *DeWhirst*, and astronomy classification tools, including *IAU Thesaurus*, *AIP Thesaurus*, and the *Unified Astronomy Thesaurus (UAT)*. The findings of the case study are analysed thematically from Berwick Sayers' ideals of classification. Both research methods are analysed separately, providing layers of reasoning, supporting the purpose of this study in helping to form the basis of classification development. The final outcome of the study is the design of a provisional faceted astronomy classification. This de-

velopment is broken down into its constituent parts: faceted classification principles, classification design including discipline, vocabulary, notation, examples, and provisional classification. The development highlights the applicability of faceted principles to the discipline of astronomy and provides a means of further development after the conclusion of this study.

### 2.3 Ethical considerations

This research is governed by the ethical code of conduct laid out by the British Sociological Association (2002) statement of ethical practice and Aberystwyth University's ethical guidelines. Any information of a sensitive nature is dealt with the necessary amount of data protection required for the information, as influenced by the BSA and the CILIP (2015) code of professional practice.

## 3.0 Historical Research

### 3.1 Background

Astronomy, an educational and research subject, has evolved slowly since its transformation in the middle ages, from a tool for creating calendars to understanding our place in the solar system with Copernicus' heliocentric model (Hoskin 2003). Diversification of astronomy came in the late twentieth century, where new technology and observational techniques expanded the subject at an ever-increasing rate. Crovisier and Intner (1987) observed that instead of being the tightly compacted and well-organised science of the nineteenth century, astronomy grew into a loosely defined and broad subject area. It is this change that has enabled astronomy to outgrow the larger universal classification schemes and to warrant its own subject-specific scheme.

### 3.2 Astronomy coverage in universal classification

The *LCC* table for astronomy is represented by the beginning notation *QB* within class *Q* (science). Its structure is based on the original 1905 scheme with little change implemented through the six revisions up until the 1980s (Crovisier and Intner 1987). The schedule's development was based on the publication of new monographs, which was reliant on research published in journal papers. It is this delay in revision which hinders the schedule's ability to be truly up-to-date and to fully integrate new subject developments. The enumerative qualities of this scheme were highly unsuited for the interdisciplinary subject in the late 1980s, with the various areas of astronomy dispersed amongst the other class *Q* tables such as physics and geology (Crovisier and Intner 1987). This concept scattering

occurs in most enumerative schemes and is seen in the example topic of “planetary geology.” In older versions of the LCC, works discussing the geology of the inner terrestrial planets would sometimes be placed in QE (geology) instead of QB (astronomy) due to their emphasis on physical terrestrial landforms (Crovisier and Intner 1987). As of modern-day, the QB table has been revised to include certain interdisciplinary subjects such as QB455-456 astrogeology. This is not a catch-all solution where interdisciplinary topics are classed in QB; its implementation is reliant on the librarian’s subject understanding and nature of collections.

The *DDC* schedule for astronomy is represented by the beginning notation 520 within the 500 class (science). The structure of the 520 table has changed very little in the last twenty years as can be seen by comparing the twenty-first edition to the WebDewey version (<http://www.dewey.org/webdewey/standardSearch.html>). The main change is the addition of objects to existing subfields, i.e., 523.4 Planets = 523.4 Planets, asteroids, trans-Neptunian objects of the solar system. The issues that arose within the LCC schedules are apparent in *DDC* and have mainly to do with the set structure of the enumerative classification type. Rowley and Hartley (2008, 209) found that the application of faceted principles to *DDC* has made the scheme much more flexible in notation building. This has allowed for better interdisciplinary classification but has limited use within the astronomy schedule due to its subject specificity.

The creation of UDC from *DDC* schedules, and subsequent faceted revisions, has provided a fully universal analytical-synthetic scheme with the UDC table for astronomy represented by the beginning notation of 52. The scheme underwent its first revision of the astronomy schedule in 1975 and a secondary revision in the 1990s (Wilkins 1989; 1995). It was found that sub-classes within the 52 class were outdated with some dropped for newer subjects. For example, in the 1975 revision, the 522/525/526 classes were cancelled and reissued for new use, with major changes taking place for classes 520/521/523 and 524 (Wilkins 1989). Even though changes were made, the scheme quickly became outdated again and the second revision focused on updating the whole discipline. Again, the focus was on classes 520 to 524, and this time Wilkins (1995) reported there was a call for astronomers, as experts, to help with the revision. The lack of expertise in schedule revision meant less was done to make the scheme truly suitable for astronomy classification, even though it was used within astronomy libraries (Wilkins 1989).

### 3.3 Specialist astronomy classification tools

The most well-known special astronomy classification, the Dewhirst classification (DC), was developed in the Insti-

tute of Astronomy at Cambridge University (Heck 2003). The scheme is based on the classification used within Astronomy & Astrophysics Abstracts; however, it was adapted to the library collections. The DC varies from the universal schemes as the schedules for astronomy were revised by a professional astronomer and librarian, thereby achieving the revision process attempted in UDC. The scheme itself has been revised four times, the most recent attempt in 2014. Its enumerative structure means that it is hard to apply new interdisciplinary topics to the already full denominations. A lack of literature makes it hard to assess its everyday practicality; however, its main fault is a lack of brevity.

The IAU Thesaurus was developed in 1984 as a means of creating standardised astronomical terminology for cataloguing and was last revised between 1993 and 1995 (Lesteven et al. 2007). A further revision was undertaken in 2000 and resulted in the thesaurus’ evolution into the International Virtual Observatory Alliance Thesaurus (Frey et al. 2015). This version of the thesaurus is still currently used and, as of 2017, has 2,890 concepts (BARTOC.org 2017). The abandonment of the IAU thesaurus led to the development of the UAT, which is a current astronomy thesaurus that has real practical implications for astronomy classification.

The UAT was developed to provide a free and community supported astronomy and astrophysics vocabulary which could be used by the astronomy community in the classification of journal articles and books (Accomazzi et al. 2014). The development of this thesaurus resulted from various outdated thesauri and vocabulary, such as the IAU and PACS, that were present in astronomical and astrophysical journals (Frey et al. 2015). The collaboration of physicists and astronomers to produce a unified thesaurus guaranteed the investment and development required for the thesaurus to be updated and used. The thesaurus can be searched alphabetically or hierarchically, with each entry showing narrower, broader, and related terms.

The AIP Thesaurus is the remainder of the PACS. This classification tool was originally developed as a physics and astronomy classification scheme before it became unwieldy and was reduced to a more manageable thesaurus (Access Innovations Inc. 2018). It is currently used to help classify journal articles, but it is no longer maintained. This classification tool demonstrates the life cycle of independent astronomy classification schemes and their inevitable disappearance due to a lack of expert guided revisions and funding.

### 3.4 Astronomy notation

The following classification from LCC, *DDC*, UDC, DC, and UAT schemes showcase their current ability to provide

**LCC: QB 843.S95** (The Library of Congress 2017)  
**QB** Astronomy  
**495-903** Descriptive Astronomy  
**799-903** Stars  
**843.** Other particular types of stars, A-Z  
**S95** Supernovae

*Example 1. LCC.*

**DDC: 523.844 65** (WebDewey 2017)  
**520** Astronomy  
**523** Specific Celestial Bodies & Phenomena  
**523.8** Stars  
**523.84** Aggregations and variable stars  
**523.844** Variable stars  
**523.844 6** Eruptive variables  
**523.844 65** Supernovas

*Example 2. DDC.*

**UDC: 524.352** (British Standards Institution 2005)  
**52** Astronomy. Astrophysics. Space Research. Geodesy  
**524** Stars. Stellar Systems. The Universe  
**524.3** Stars  
**524.35** Supernovae and related objects. Peculiar stars  
**524.352** Supernovae

*Example 3. UDC.*

**DC: 122** (Institute of Astronomy 2017)  
**Group XI.** Stars and the Galaxy  
**122.** Supernovae. Supernovae Remnants

*Example 4. DC.*

notation for the complex subject area of supernovae/supernovae remnants. Green and Jones (2015, 355) describe a supernova as “an outburst in which a star suddenly increases in brightness by an enormous factor ( $\sim 10^6$ ). Such a star is ending its life in a gigantic explosion from the collapse of its core.” There are two main supernovae types, “type I” and “type II,” with “type I” divided into three subtypes; Ia, Ib and Ic (Green and Jones 2015, 229). Any classification scheme must be able to provide for complete specification of supernovae types (i.e., “type Ib”) or for material on the general subject matter of which supernovae is just one aspect (i.e., star evolution).

The LCC notation places the object type under descriptive astronomy, stars, and other types of stars whilst DDC puts it under specific celestial bodies and phenomena, stars, and variable objects. The UDC notation puts the object type under stars and then its own heading of supernovae and related objects whilst DC puts it under stars and the galaxy. DC is the only scheme to mention both super-

novae and supernovae remnants, even if they are detailed under the same notation. These schemes have trouble dividing the different elements of the object within a document meaning that all supernovae are lumped together under one notational category. In the case of LCC and DC, the broader category is stars, whilst UDC and DDC are the only schemes to provide a narrower category for supernovae. There is no further subdivision of the subject area into types and all the schemes are unable to cater for the differences between the process of producing supernovae and their aftermath, i.e., supernovae remnants. The specificity that is lacking in these schemes can be achieved through the application of further notation, feasibly in the form of key terms or facets. In comparison, the UAT has supernovae as a narrower term for either stellar remnant or stellar type, providing a choice of both categories.

The term supernovae is divided into the objects’ main types allowing for specification. The related terms help users searching within this subject area to find other related

**UAT:** (Unified Astronomy Thesaurus no date)

Stellar Astronomy

**Supernovae**

**Broader Terms:** Stellar Remnants - Stellar Types

**Narrower Terms:** Core-collapse supernovae – Hypernovae - Type Ia supernovae

**Related Terms:** burst astrophysics - ejecta - supernova dynamics - white dwarf stars

*Example 5. UAT.*

**Z INTERDISCIPLINARY SUBJECTS**

ZM	Astronomy and Astrophysics
ZMAAAF	Astronomy and astrophysics
ZMBAAN	Celestial mechanics
ZMCAAW	Theoretical astrophysics
ZMEEAL	Solar system
ZMGAAB	Stars
ZMKAAZ	Radio sources, infrared, x-ray and gammas-ray sources
ZMMAAP	Galaxies, stellar systems
ZMRAAV	Interstellar matter
ZMTAAK	Astronomical measurements listed by type of observation
ZMVAAS	Astronomical techniques and instrumentation

*Example 6. INSPEC Interdisciplinary subject schedule (Field 1973).*

areas of research. Not all supernovae types are listed under the narrower terms, however, development of the thesaurus is still ongoing and this omission may be resolved in the future. The UAT displays the type of specificity which an astronomy classification would need to provide broad classificatory assistance.

### 3.5 Findings

The discourse on astronomy classification was limited as the main literature source came from the LISA conference proceedings with evidence found supporting the revision of the UDC and the UAT with the proviso to improve library classification for astronomy collections. Crovisier and Intner (1987, 32), whose work on the revision of LCC is central to the historical review, argue that “In classification, as in mechanics, inertia is a powerful agent against change.” This statement defines the evolution of astronomy classification within universal classification schemes and their lack of consistent maintenance. These schemes have attempted to introduce specificity within their topic headings with the implementation of subject revisions and auxiliary tables, allowing for notation to be built with additional criteria; however, their main purpose is for classifying universal knowledge, thereby neglecting specificity. The only special astronomy classification that could be found currently employed was DC, yet even this scheme is

lacking specificity as it is built around the collections rather than the discipline. It is with the development of a fully faceted scheme that the discipline of astronomy can find the specificity and flexibility needed to allow continuous revision without compromise to the whole scheme and complete control over notation building. Furthermore, the use of UAT, which has proven itself to be a flexible and reliable astronomical thesaurus, would provide sound descriptive elements and up-to-date terminology.

### 4.0 Case study: *INSPEC*

#### 4.1 Geophysics, astronomy, and astrophysics

The creation of the *INSPEC Classification* in 1969 revolutionized the way STEM subjects were viewed in universal classification schemes. These schemes realised the need to develop scientific areas to compete with the dominant humanities schedules. Originally *INSPEC* was created to provide journal classification enabling the searching of journal articles with its sectional classification schedules. The concordance to the *INSPEC Classification* between 1969-1976 (INSPEC 1976) provides a lack of evidence of notational coding for the discipline of astronomy before 1973, with the first “schedule” dedicated to astronomy and astrophysics found within the 1973 *INSPEC* interdisciplinary subjects schedule (Field 1973, 51).

H1 – ZAAAAZ Interdisciplinary Subjects  
 H2 – ZMAAAF Astronomy and Astrophysics  
 H3 – ZMGAAB Stars  
 H4 – ZMGGAJ Specific stellar objects  
 H5 – ZMGGGX Supernovae and supernovae remnants

*Example 7.* Supernovae classification (INSPEC 1973).

## A PHYSICS

### A90 GEOPHYSICS, ASTRONOMY AND ASTROPHYSICS

A91 Solid Earth physics  
 A92 Hydrospheric and lower atmospheric physics  
 A93 Geophysical observations, instrumentation, and techniques  
 A94 Aeronomy, space physics, and cosmic rays  
 A95 Fundamental astronomy and astrophysics, instrumentation and techniques and astronomical observations  
 A96 Solar system  
 A97 Stars  
 A98 Stellar systems; Galactic and extragalactic objects and systems; Universe

*Example 8.* Geophysics, astronomy, and astrophysics (INSPEC 2004).

SC (H1) – A Physics  
 H1 (H2) – A9000 Geophysics, astronomy and astrophysics  
 H2 (H3) – A9700 Stars  
 H3 (H4) – A9760 Late stages of stellar evolution  
 H4 (H5) – A9760B Supernovae

*Example 9.* Supernovae classification (INSPEC 2004).

Within the initial schedules for the unified *INSPEC Classification*, there was a limit of five hierarchical levels, to prevent excessive complexity. Each hierarchical level could contain more than ten subdivisions; so, to mitigate against loss of order each subdivision was allocated a six-letter code (Field 1973, viii). The sequence relied upon the number of As to ascertain the hierarchical level, with no As in the sequence indicating the narrowest hierarchy and four As representing the broadest hierarchy, as seen in Example 7. The last letter in the sequence was always a check number (Field 1973, viii).

The notation applied to the schedule was impractical for subject collocation. The astronomy schedules were displaced from the physics schedules (A-R), and was placed at the end of the notational sequence under Z. Eventually, the complexity of applying notation and astronomy's increasing use as a developing discipline area saw it revised into a mainstream schedule within the physics section by 1978. The newest physical version of the schedule was released in 2004 with the inclusion of geophysics, as seen in Example 8 (INSPEC 2004). The same version of the *INSPEC* schedule can be found in 1995 (INSPEC 1995) and 1999, and with minor variations in the 1988, 1981-2, and

1978 schedules (INSPEC 1999; Institution of Electrical Engineers 1988; 1982; 1981; 1978).

The schedule retains five levels of hierarchy; the first level is now the section code letter and the four numbers plus end letter replaces hierarchy levels two to five. It follows that the more specific the number the narrower the search becomes, with the narrowest hierarchy containing a letter suffix to finish the notation (INSPEC 2004, v), as seen in Example 9.

The classification notation changed dramatically over a thirty-year period with fundamental changes to the hierarchical structure of the astronomy and astrophysics schedule. Instead of being placed under “stars and specific stellar objects” (Example 7), supernovae and supernovae remnants were split into subsections for “stars and late stages of stellar evolution” (Example 9) and “stellar systems; galactic and extragalactic objects and systems; universe and interstellar medium; nebulae” (Example 10).

Using the example of supernovae and supernovae remnants, it can be seen over time that the *INSPEC* schedules have tried to cater towards discipline developments. The scheme has been adapted to consider the context in which supernovae are studied either within the context of stellar

SC(H1) – A Physics
H2 – A9000 Geophysics, astronomy and astrophysics
H3 – A9800 Stellar systems; Galactic and extragalactic objects and systems; Universe
H4 – A9840 Interstellar medium; nebulae
H5 – A9840N Supernova remnants

Example 10. Supernova remnants (INSPEC 2004).

<b>Expressiveness</b>	The basic hierarchical structure facilitates narrow and broad searching. Subsections display fewer relationships between topics on the same level, but a general order is established based on prominence within the subject area. Could be improved by reworking subsections into a specific order relevant to the context of the subject area.
<b>Mnemonic</b>	Follows set notational rules. The index provides access to subject notation making it easy for the classifier to find specific subject notations. Could improve memorability by providing shorter mixed notation, including elements of literal mnemonics.
<b>Simplicity</b>	Lacks the simplicity of notation needed for ease of retrieval in physical library environments, but notation has become more simplistic and easier to understand. Based on a hierarchy, it is appropriate when determining collocation on shelves or in databases, but could be adapted to reduce notation length.
<b>Uniqueness</b>	Uniqueness for each hierarchal level of the subject. Notation could be improved by providing shorter notation for general subjects and longer notation for specific subjects, thus providing clear distinction between levels of notation and easing confusion when applying notation.
<b>Brevity</b>	Mixed notation of letters and numbers. A maximum of two letters and four numbers used in a notation, with letters providing the first and last points in the notational sequence. Provides a huge array of notational fields and notational flexibility but could be improved by applying shorter notation for general subject areas.
<b>Flexibility</b>	Provides many subject areas in which to classify from and specific subjects can be chosen without impacting on the rest of the scheme. Building notation cannot be achieved, leading to less flexibility within individual library settings for specific or interdisciplinary subjects.
<b>Hospitality</b>	Can be easily expanded for the inclusion of new subject areas, object types, and phenomena. Extension of notation could be undertaken under each main sub-heading as they are yet to fill all the subfields, and also under the main heading A99. However, expansion as with enumerative schemes may disrupt the order of the scheme.
<b>Notational structure</b>	Lacks comprehensive faceted auxiliary tables allowing for flexible notation building. INSPEC is set rather than flexible and subject coverage is wide-ranging although rather imprecise. Provides for 2,174 notational fields within the physics section alone, with 389 of those applying to the geophysics, astronomy, and astrophysics schedule (INSPEC 2004). There is still room for expansion, as many notational fields have yet to be created and used. Notational structure of this scheme could be improved.

Table 1. Classification qualities of INSPEC and improvements.

evolution (Example 9) or as a by-product of stellar evolution and their place within the universe (Example 10). The order of the subsections was rearranged into a more user-friendly sequence and notation changed to fit in with the other main classes. This contextual flexibility is not seen in the universal schemes.

#### 4.2 Classification qualities

The qualities INSPEC displays are typical of an analytico-synthetic scheme: being hierarchical in nature, providing set notation as well as displaying faceted principles, where subject areas are contextually linked and specific, including an index of specific subjects. Outlining the qualities dis-

played by INSPEC facilitates thoughts on classification principles that could improve its functionality. The qualities are based on Berwick Sayers' (1955, 60) ideal qualities of a classification scheme (brief, simple, and flexible): expressiveness, mnemonic, simplicity, uniqueness, brevity, flexibility, and hospitality (see Table 1).

#### 4.3 Findings

The INSPEC Classification has provided evidence that faceted principles can help serve the discipline of astronomy and has facilitated analysis of faceted notational improvements, which could increase the scheme's quality. The case study has highlighted the importance of hierarchy and providing multiple

classifying options for contextual flexibility. The notational element itself is concise but complicated. An adaptation of the notation by removing unnecessary length in general subject areas would allow for ease of application and retrieval. A solution providing for collocation, ease of retrieval and application, and brevity and flexibility could be to include a separate auxiliary table containing key terms and astronomical objects, enabling tagging to take place. The tags would then provide searchable access points to other resources. Although relatively unusual, this would allow for notation to stay simple, flexible, and hospitable. Recent research has focused on developing tagging systems to improve searching (see, for example, Mendes et al 2009). Lawson (2009) reported on improving the library catalogue through the inclusion of tags. There also has been promising work on the potential of social tagging to enhance traditional subject cataloguing; Pera, Lund, and Ng (2009) developed EnLiS, a library system that improves user searches by using folksonomies to perform similarity matches between keywords in the query and user tags from LibraryThing improving the relevance of results). Finally, Hedden (2008), who advocates the use of semantic tagging that links tags into meaningful taxonomies), so incorporating tagging would not be out of line with current and developing practices. More traditionally, the application of notation building features would provide specific notations allowing for subject complexity.

Broughton (2006; 2015) has argued of the importance of faceted classification by supporting its development and heralding it as the future of information retrieval, and Kumbhar (2012, 11) advises that the best way to organise bibliographic material is through a faceted classification scheme based on scientific principles. Other studies of faceted classification in information retrieval include Mills' (2004) *Library Trends* paper on faceted classification and logical division in information retrieval, La Barre's (2006) PhD thesis, Gnoli and Mei's (2006) study of freely faceted classification for web based retrieval, Uddin and Janacek's (2007) development of a multidimensional classification system in the web that can provide an alternative but convenient structure for organising and finding information content, and Tunkelang's (2009) lecture on using faceted search to provide more effective information seeking support to users in online search systems. It is with this evidence base in mind, and the application of the notational improvements above and use of UAT vocabulary that development of a new faceted astronomy classification is undertaken.

## 5.0 Development of a faceted astronomy classification

### 5.1 Principles of faceted classification

The main object of faceted classification is facet analysis. Vickery (1960, 13) describes three main steps of facet analysis in the construction of faceted classification schemes:

- (i) to assign an order in which the facets will be used in constructing compound subject headings,
- (ii) to fit the schedules with a notation which permits the fully flexible combination of terms that is needed that is needed and which throws subjects into a preferred filing order, and
- (iii) to use the faceted scheme in such a way that both specific reference and the required degree of generic survey are possible.

It begins with the creation of facets, the analysis of specific aspects of a subject. Ranganathan developed five facets, each to be applied within the stated order: 1) personality; 2) matter; 3) energy; 4) space; and, 5) time, also known as PMEST (Broughton 2015). Personality describes the specific subject within the item to be classified; matter the properties or material of the subject matter; energy the processes of the subject; space the positioning or location of the subject; and, time the date of the subject matter. Vickery (1960, 30) adapted Raganathan's facets into ten new facets; 1) substance, product, organism; 2) part, organ, structure; 3) constituent; 4) property and measure; 5) object of action, raw material; 6) action, operation, process, behaviour; 7) agent, tool; 8) general property, process, operation; 9) space; and, 10) time. Facets can be specific or broad, simple or complex, and can cover almost any aspect of a subject.

Once facets have been chosen for a subject area they need to be split into foci, the second level of subject analysis and isolates, the third level of subject analysis, to get the basic structure of the scheme. Foci are aspects of a facet and isolates are grouped into foci. The foci are then ordered into a suitable arrangement for the subject area, known as order in array (Rowley and Farrow 2000; Rowley and Hartley 2008, 182). Batley (2005, 122) lists four possible arrangements of foci: logical, procedural, chronological, and alphabetical. Ranganathan (1937, 42-43) suggested any order based on systematic principles, such as quantitative, developmental, spatial or time (evolutionary), and canonical. It can be supposed that the arrangement of foci within the facets will be dependent on the main use and subject of the scheme.

Once the basic structure of the scheme is developed, the schedule order and notation is established. Schedule

order can either be specific before general, or inverted, so general subject areas come before specific topics, known as the principle of inversion (Rowley and Farrow 2000, 204). Ranganathan proposed the use of inverted order for schedules and notation in faceted classifications. To create notation flexibility, subdivisions from different facets may be joined together to create unique call numbers. This process involves applying a syntax to develop order within the arrangement of facets, helping to aid retrieval. The use of punctuation symbols by Ranganathan in the CC (, personality - ; matter - : energy - . space - ‘ time) provided a syntax that allowed compound subjects to be constructed and facets to be linked together. The citation order of the facets is inverted with personality, matter, and energy increasing in specificity and filed before the common facets space and time (Sayers [1926] 1975, 62-63). This study constructs a faceted astronomy classification using these classification principles.

## 5.2 Classification design

The first task is to create the relationship facets used to achieve the specifics of notation building. These facets are the “add-on” themes that can be applied to most subject areas. The facets used in the development of this scheme are influenced by Ranganathan’s PMEST and reflect the complex range of information in astronomy classification (see Table 2 below).

Each relationship facet will have its own auxiliary table providing coded notation for the terms, objects, and dates. The set facet is the beginning notation allowing for the division of material types. The remaining facets are added after the subject schedule notation.

### 5.2.1 Subject schedules for astronomy

Astronomy is a broad and complex interdisciplinary subject. To understand its complexities, a list of the most common subject areas within taught astronomy was drawn from current textbooks (see Vickery 1960, 20, for more on this methodological step). Five textbooks demonstrating universal astronomy topics were chosen and their table of contents analysed for key and repetitive subject areas. The chapter introductions and summaries were discarded to keep the topic investigation clear. Table 3 shows the main topic areas found.

The topic investigation also found a new classification system created by Dick (2013), demonstrating a kingdom, family, and class classification structure for the classification of astronomy objects, based on hierarchical science kingdom classification systems. The three main kingdoms are: planets, stars, and galaxies. The kingdoms are arranged hierarchically, increasing in size and complexity. Comparing the hierarchical kingdom classification with the topic investigation results found an overlap in subject matter. Grouping the main topic areas within astronomical textbooks with Dick’s classification structure of astronomy objects produced four main subject areas, and examining current schedules for *DDC*, *UDC*, and *INSPEC* produced two minor subject areas (see Table 4 below).

The main subject divisions increase in evolutionary scale from localized phenomena and objects to the origins and evolution of the universe. The minor subject divisions cover the techniques and equipment used in astronomical observation. These six subject areas form the knowledge divisions of astronomy and each will form their own subject schedule. In addition to building classification from

<b>Set Facet</b>	<b>Material Type</b>	The item’s physical state, e.g, book (BK). Used for every classification to allow for filing order by material type.
<b>Facet</b>	<b>Object</b>	The individual astronomical object. Comprised of astronomical object catalogues such as Messier and planet/object type abbreviations, e.g, M13 (Globular Cluster).
<b>Facet</b>	<b>Process</b>	The active process present in the work/object. Comprised of physical processes from physical sciences, e.g. CYV (Cryovolcanism).
<b>Common Facet</b>	<b>Location</b>	The apparent location of an astronomical object, e.g. M13 – 16h41m 41.6s +36d27m41s. Comprised of a list of astronomical right ascension and declination measurements based on the J2000 equatorial coordinate system numerically coded to produce shorter notation.
<b>Common Facet</b>	<b>Time</b>	The year of observation, discovery, or first publication, e.g. Discovery: 1596. Location and time, will only be used to distinguish between other works with the same notation or for specificity.

Table 2. Relationship facets.

<b>Solar System</b> Terrestrial Planets Giant Planets (Gas and Ice) Asteroids, Kuiper Belt, and Comets Planetary formation Geological and surface processes Atmospheric processes  (McBride and Gilmour 2004)	<b>Sun and Stars</b> Sun: surface, interior, and atmosphere Stars: measurement and observations Stellar Formation Main Sequence Life Stellar Death Stellar Remnants  (Green and Jones 2015)
<b>Galaxies and Cosmology</b> Milky Way composition Galaxy: classification, formation, and evolution Normal Galaxies Active Galaxies Galaxy distribution Universe: evolution, measurement, and problems  (Jones, Lambourne and Serjeant 2015)	<b>Planetary Science</b> Solar System: composition, formation, and dynamics Solar: energy transfer, atmosphere, and surface Planetary: atmospheres, surfaces, and interiors Magnetic Fields Other Solar System Bodies: meteorites, minor planets, comets, and planetary rings Extrasolar Planets Planetary Formation  (de Pater and Lissauer 2015)
<b>Universe</b> Astronomy: observation and equipment Planets and Moons: terrestrial, gas, and ice Stars: formation, evolution, death, and oddities Galaxies: Milky way, normal, and active Cosmology: origins, evolutionary, and SETI  (Freedman and Kaufmann 2016)	

Table 3. Main topic areas within astronomy textbooks.

<b>Main Divisions</b> Planetary Systems Stellar Systems Galactic Systems Cosmology  <b>Minor Divisions</b> Astronomical Techniques Astronomical Equipment
---

Table 4. Main and minor divisions.

the subject schedules and relationship facets, the scheme should ideally cater for subject searching via controlled subject headings.

### 5.2.2 Unified vocabulary

The UAT, a free resource delivering internationally unified astronomical terminology, is constantly revised by scientists and astronomers providing unified subject headings. The use of UAT subject headings in this classification scheme allows for scientific accuracy within subject areas and narrower and broader searching. As of 2015, the UAT had 1,906 terms, a range of twelve hierarchical levels and fifteen top level concepts (Frey et al. 2015). On the release of UAT v.1, the scheme was updated to include 1,834 terms, a range

of ten hierarchical levels and eleven top level concepts (Unified Astronomy Thesaurus 2015). The current structure of the thesaurus has changed in the intervening period with the terminology being equally distributed over the top-level concepts. The release of UAT v.2.0.0 in early 2017 cleaned up subject duplications and provided sixteen new terms (Unified Astronomy Thesaurus 2017). This resource is necessary for this scheme's interoperability.

### 5.2.3 Notation building

Literal mnemonics will be used to satisfy Berwick Sayer's ideal notational qualities, and each main and minor division will start with a defining letter code that is representative of the subject area (see Table 5 below).

The main and minor divisions are subdivided three times to produce a sequence of three numbers, each with its own hierarchy. Three subdivisions enable a certain level of subject specificity which can be further quantified using the relationship facets. This produces a simple and memorable three-digit code at its maximum, which is then applied to the subject letter code, e.g. P111. The ending notation is based on the specificity of the work and the application of the relationship facets. The relationship facet notation varies between letter suffixes and numerical codes providing unique notation in most cases. Material type is denoted by a two-letter abbreviation; object by its catalogue code or three-letter abbreviation; process by a three-letter abbreviation; location by a two-digit code; and, time by its four-number year notation (see 5.3 Provisional astronomy classification for details). The application of these facets is dependent on the specificity of the work and material type; however, simplicity and uniqueness can still prevail by using only the material type abbreviation, division code and three-digit subject code.

To synthesise the facets together, a syntax of notational punctuation will be used. The notational punctuation used to display the faceted relationships are built from mathematical and literary punctuation and have been influenced by Ranganathan’s work (see Table 6 below).

The schedule order is based on Ranganathan’s inverted principle for faceted classification, whereby general facets

are filed before specific facets; the order being material type, object, process, location, and time. The facet for material type is crucial for the effective filing and retrieval of an item within a physical or online library environment and is added to the beginning of the call number. The other relationship facets are added after the subject notation based on increasing specificity. The use of mixed notation in the creation of a call number allows for Berwick Sayers ideals of classification to be upheld and for this scheme to have a modern classification approach. As will be seen in the examples below, the scheme’s main disadvantage is that compound subjects can create complex notation making shelf arrangement challenging; though the application of complex notation is decided by the classifier and can, therefore, be negated.

**5.2.4 Examples of classification**

Reviewed below is an example outline of a main knowledge division in the subject schedules and an interpretation of classifying a book, paper, and observation using the basic schedules and relationship facets. They display the usability and functionality of the classification scheme for different material types and subject areas. The schedule order is hierarchical, based on Dick’s (2013) kingdom, family, and class classification and then further ordered spatially if applicable, e.g. solar system planets.

<b>Main Divisions</b>	
P	Planetary Systems
S	Stellar Systems
G	Galactic Systems
C	Cosmology
<b>Minor Divisions</b>	
AT	Astronomical Techniques
AE	Astronomical Equipment

Table 5. Coded main and minor divisions.

<b>Facet Relationship Punctuation</b>	
/	material type relationship
;	object relationship
‘	process relationship
,	location relationship
.	time relationship
<b>Subject Relationship Punctuation</b>	
=	equal knowledge of two or more subject areas
+	more than equal knowledge of two or more subject areas
-	less than equal knowledge of two or more subject areas
:	astronomical technique or equipment

Table 6. Punctuation for facets and subject relationships.

Main Division	P Planetary Systems
Subdivision of Main Division	P1 Solar System
Second Subdivision of Main Division	P11 Planetary Types
Third Subdivision of Main Division	P111 Terrestrial Planets

*Example 11.* Main knowledge division.

*Planet Mercury: From Pale Pink Dot to Dynamic World*, by David A. Rothery.

**BK**

P Planetary Systems  
 P1 Solar System  
 P11 Planetary Types  
 P111 Terrestrial Planets

Relationship Facets

Object: Mercury ⇔ ;MER  
 Process: Geology ⇔ 'GEO

**Notation:** BK/P111;MER'GEO

*Example 12.* Class mark for a book.

*Cepheid Variables in the Flared Outer Disk of our Galaxy*, by Michael W. Feast, John W. Menzies, Noriyuki Matsunaga and Patricia A. Whitelock. *Nature* 2014:509(7500): 342.

**JA**

S Stellar Systems  
 S3 Variable Stars  
 S31 Intrinsic Variables  
 S311 Pulsating Variables

G Galactic Systems  
 G5 Milky Way

Relationship Facets

Object: Cepheid Variables ⇔ ;CEV

**Notation:** JA/S311=G5;CEV

*Example 13.* Class mark for an article.

*2015 Radio observation of spiral galaxy M61*

**DP**

G Galactic Systems  
 G1 Galaxies  
 G11 Galaxy Types  
 G113 Spiral Galaxies

AT Astronomical Techniques

AT1 Observation Methods  
 AT13 Radio

Relationship Facets

Object: M61 ⇔ ;M61  
 Time: 2015 ⇔ .2015

**Notation:** DP/G113:AT13;M61.2015

*Example 14.* Class mark for a physical dataset: observation.

### 5.3 Provisional astronomy classification

#### Provisional Astronomy Classification Subject Schedules

**Subject Schedules** – Planetary Systems (P), Stellar Systems (S), Galactic Systems (G), Cosmology (C), Astronomical Techniques (AT), Astronomical Equipment (AE).

**Facets** – Material Type, Object, Process, Location, Time.

**Material Type** – Book (BK), Journal Article (JA), Sky Atlas' (SA), Dataset – Physical (DP), Dataset – Digital (DD), Photographic Plates (PP), Equipment (EQ).

**Object** – Messier catalogue, Planets, Moons, Stellar Types, Galactic Types.

**Process** – Planets: Formation Processes, Surface and Interior Geology, Atmospheric Processes. Stars: Formation Processes, Core Reactions, Atmospheric Processes. Galaxies: Formation Processes.

**Location** – RA & Dec Measurements: Northern Hemisphere ( $\uparrow$ Dec,  $\uparrow$ RA) and Southern Hemisphere ( $\downarrow$ Dec,  $\downarrow$ RA).

**Time** – Date Ranges: BC, 0-500, 501-1000, 1001-1500, 1501-2000, 2001-2500.

#### Facet Relationship Punctuation

/ material type relationship  
 ; object relationship  
 ‘ process relationship  
 , location relationship  
 . t ime relationship

#### Subject Relationship Punctuation

= equal knowledge of two or more subject areas  
 + more than equal knowledge of two or more subject areas  
 - less than equal knowledge of two or more subject areas  
 : astronomical technique or equipment

#### Basic Draft Schedules

##### P Planetary Systems

- P1 Solar System
  - P11 Planetary Types
    - P111 Terrestrial Planets
    - P112 Gas Giant Planets
    - P113 Ice Giant Planets
  - P12 Planetary Features
    - P121 Moons/Satellites
    - P122 Rings
    - P123 Radiation Belts

- P13 Solar System Objects
  - P131 Dwarf Planets
  - P132 Meteoroids
  - P133 Asteroids
  - P134 Comets
  - P135 Trans-Neptunian Objects

- P14 Solar System Regions
  - P141 Asteroid Belt
  - P142 Kuiper Belt
  - P143 Oort Cloud

- P2 Extrasolar Planets
- P3 Planetary Formation
  - P31 Protoplanetary Disk
  - P32 Planetary Collisions
  - P33 Planetary Migration
- P4 Interplanetary Medium Features
  - P41 Gas
  - P42 Dust
  - P43 Solar Wind
  - P44 Cosmic Rays
- P5 Astrobiology

##### S Stellar Systems

- S1 Stellar Sequence
  - S11 Pre-Main Sequence Stars
    - S112 Protostars
  - S12 Main Sequence Stars
    - S121 O Class
    - S122 B Class
    - S123 A Class
    - S124 F Class
    - S125 G Class
    - S124 K Class
    - S125 M Class
  - S13 Post-Main Sequence Stars
    - S131 Subgiant Class
    - S132 Giant Class
    - S133 Bright Giant Class
    - S134 Supergiant Class
    - S135 Hypergiant Class
  - S14 Stellar Evolution-Death
    - S141 Supernovas
    - S142 Novae
    - S143 White Dwarfs
    - S144 Neutron Stars
    - S145 Black Holes
    - S146 Planetary Nebula
  - S15 Stellar Remnants
    - S151 Supernova Remnants
    - S152 Nova Remnants
    - S153 Planetary Nebula Remnants
- S2 Multiple Star Systems
  - S21 Binary Stars

S211	Brown Dwarfs
S22	Multiple Stars
S23	OB Associations
S24	Stellar Clusters
S241	Open Clusters
S242	Globular Clusters
S3	Variable Stars
S31	Intrinsic Variables
S311	Pulsating Variables
S312	Eruptive Variables
S313	Cataclysmic Variables
S32	Extrinsic Variables
S321	Rotating Variables
S322	Eclipsing Binaries
S323	Planetary Transits
S4	Exotic Stars
S41	Quark Stars
S42	Boson Stars
S43	Electroweak Stars
S44	Preon Stars
S45	Planck Stars
S5	Interstellar Medium Features
S51	Dust
S52	Gas
S521	H I Cloud
S522	H II Cloud
S523	H 2 Cloud
S53	Stellar Wind
S54	Galactic Cosmic Rays
<b>G Galactic Systems</b>	
G1	Galaxies
G11	Galaxy Types
G111	Elliptical Galaxies
G112	Lenticular Galaxies
G113	Spiral Galaxies
G114	Irregular Galaxies
G115	Barred Galaxies
G116	Dwarf Galaxies
G12	Active Galaxies
G121	Seyfert Galaxies
G122	Radio Galaxies
G123	Quasars
G124	Blazars
G13	Galactic Features
G131	Galactic Ring
G132	Galactic Accretion Disk
G133	Galactic Jets
G134	Galactic Halos
G2	Multiple Galaxy Systems
G21	Binary Galaxies
G22	Interacting Galaxies

G23	Galactic Clusters
G24	Galactic Superclusters
G3	Galaxy Formation
G31	Galaxy Mergers
G4	Intergalactic Medium Features
G41	Gas
G42	Dust
G43	Galactic Wind
G44	Extragalactic Cosmic Rays
G5	Milky Way
<b>C Cosmology</b>	
C1	The Universe
C11	Origins
C12	Evolution
C13	Age
C131	Hubble Time
C14	Temperature
C141	Black-body Spectrum
C2	Cosmic Matter
C21	Baryonic Matter
C211	Hydrogen Plasma
C212	Helium Plasma
C22	Dark Matter
C221	Baryonic Dark Matter
C222	Non-baryonic Dark Matter
C23	Cosmic Density/Energy
C231	Dark Energy
C232	Dark Energy Density
C3	Cosmic Radiation
C31	Electromagnetic Radiation
C311	Radio waves
C312	Microwaves
C313	Infrared Radiation
C314	Visible Light
C315	Ultraviolet Radiation
C316	X-Rays
C317	Gamma Rays
C32	Cosmic Microwave Background
C33	Cosmic Background Radiation
C4	Cosmic Expansion
C41	Hubble's Law
C411	Hubble Flow
C412	Hubble Constant
C413	Hubble Parameter
C42	Redshift
C43	Blueshift
C5	Cosmological Models
C51	Special Relativity
C511	Space-Time
C512	Time Dilation
C52	General Relativity
C521	Curvature of Space-Time

- C522 Einstein's Field Equations
- C53 Cosmological Principle (Uniformity)
- C54 Einstein Model
- G55 de Sitter Model
- G56 FRW Models
- G57 Einstein-de Sitter Model
- G58 Eddington-Lemaître Model
- G59 Lemaître Model
- C6 Cosmological Theories
  - C21 Big Bang
  - C22 Big Crunch
  - C23 Multiverses
  - C24 Rebound Theory
  - C25 String Theory
- C7 SETI

**AT Astronomical Techniques**

- AT1 Observation Methods
  - AT11 Photometry
  - AT12 Spectroscopy
  - AT13 Radio
  - AT14 Infrared
  - AT15 Gamma Ray
  - AT16 X-Ray
  - AT17 Microwave
  - AT18 Ultraviolet
- AT2 Distance Measurements
  - AT21 Trigonometric Parallax
  - AT22 Spectroscopic Parallax
  - AT23 Doppler Shift
  - AT24 Hubble's Law
- AT3 Luminosity Measurements
  - AT31 Apparent Magnitude
  - AT32 Absolute Magnitude

**AE Astronomical Equipment**

- AE1 Observatories
  - AE11 Earth Observatories
  - AE12 Space Observatories
- AE2 Telescopes
  - AE21 Optical Telescopes
    - AE211 Refracting Telescope
    - AE212 Reflecting Telescope
    - AE213 Catadioptric Telescope
  - AE22 Non-Optical Telescopes
    - AE221 Radio Telescope
    - AE222 X-Ray Telescope
    - AE223 Gamma Ray Telescope
    - AE224 Infrared Telescope
    - AE225 Ultraviolet Telescope

**5.4 Proposed use of classification scheme**

The scheme's author has envisaged the classification scheme in an accessible online format, whereby institutions hold an online subscription much like WebDewey and LCC's Classification Web. Each subject schedule could be searched hierarchically through an expandable linked list, thereby making it easy to go from the broadest term to the narrowest whilst retaining the steps taken. Ideally, the scheme would allow for a split screen mode, meaning classifiers could search as many subject schedules as needed to find the subject codes for the work. This would be advantageous not only for comparison of subjects for non-experts but also for applying subject codes to interdisciplinary works. The relationship facets (material type, object, process, location, time) would have their own tabs under set facet, facet, and common facet, with an expansion list of coded notation in numerical or alphabetical order. Furthermore, a keyword search function on each page would provide intuitive manipulation of the lists for ease of searching. A feature which could be integrated into the online scheme is of a classification checker, whereby the classifier could input the main classificatory features of an item (drop down lists provided) into a "classification calculator" (see mock up below). The scheme would then automatically arrange the information based on the classifications rules and add in relevant relationship punctuation to form a list of feasible class marks for the item. The classifier would then be able to double check the class marks and ascertain their suitability within their collection. Other tabs in the online format would hold key information on how to build and check a class mark as well as information on improvements and revised subject schedules. Feedback through an online form, as well as an "ask a librarian" feature would enable classifiers to directly give feedback to the system's creators, allowing for developments to occur quicker than in other traditional classification schemes.

**6.0 Concluding comments**

The discipline of astronomy requires its own classification scheme for several reasons. Firstly, the provision of astronomy schedules within current universal schemes lacks the specificity for complex subject classification. Secondly, special classification schemes built for astronomy have either been merged with physics-based schemes or are too simple to provide useful notation in environments with multiple material types. And thirdly, the lack of flexibility within these schemes means there is not a comprehensive interdisciplinary scheme for use in astronomical libraries. Developing a special classification scheme on faceted classification principles provides a specific and flexible classification catering to the discipline's interdisciplinary nature. Adding unified ter-

Subject 1: _____	Material Type: _____	Process: _____
Subject 2: _____	Object 1: _____	Location: _____
Subject 3: _____	Object 2: _____	Time: _____
[Search Classification]		
Class mark 1:		
Class mark 2:		

Example 15. Mock up of “classification calculator” for astronomy classification.

minology in the form of broader and narrower terms through UAT enhances the usability of a new scheme within astronomy libraries.

This study has provided the means of investigating an overlooked discipline area within librarianship discourse and has provided an insight into astronomy classification and its relationship within classification types. Understanding the nature of the discipline of astronomy and how it can be provided for within library classification schemes is key to the continuation and future development of astronomy classification for specialist collections. Further research that could be undertaken consists of revising, finishing, and testing the classification development within a physical library setting, where its flexibility and functionality can be analysed and the scheme improved.

## References

- Access Innovations Inc. 2018. “Access Innovations, Inc. and American Institute of Physics “Unravel” New Thesaurus for Online Scholarly Publications,” <https://www.accessinn.com/access-innovations-inc-and-american-institute-of-physics-unravel-new-thesaurus-for-online-scholarly-publications/>
- Accomazzi, Alberto, Norman Gray, Chris Erdmann, Chris Biemesderfer, Katie Frey, and Justin Soles. 2013. “The Unified Astronomy Thesaurus.” In *Astronomical Data Analysis Software and Systems XXIII: Proceedings of a Conference held at Waikoloa Beach Marriott, Hawaii, USA. 29 September-3 October, 2013*, ed. N. Manset, P. Forshay. ASP Conference Series 485. San Francisco: Astronomical Society of the Pacific, 461-64.
- BARTOC (Basel Register of Thesauri, Ontologies & Classifications). 2017. “International Virtual Observatory Alliance Thesaurus,” <https://bartoc.org/en/node/381>
- Batley, Susan. 2005. *Classification in Theory and Practice*. Oxford: Chandos.
- Berwick Sayers and William Chadwick. 1955 *A Manual of Classification for Librarians and Bibliographers*. 3rd ed. London: Grafton.
- British Sociological Association. 2002. “Statement of Ethical Practice for the British Sociological Association.” <https://www.britisoc.co.uk/equality-diversity/statement-of-ethical-practice/>
- British Standards Institution. 2005. *Systematic Tables. Vol. 1 of UDC, Universal Decimal Classification*. 3rd ed. London: British Standards Institution.
- Broughton, Vanda. 2006. “The Need for a Faceted Classification as the Basis of all Methods of Information Retrieval.” *Aslib Proceedings* 58, nos. 1/2: 49-72. doi: 10.1108/00012530610648671
- Broughton, Vanda. 2015. *Essential Classification*. 2nd ed. London: Facet.
- Chowdhury, G.G. 2010. *Introduction to Modern Information Retrieval*. 3rd ed. London: Facet.
- Chowdhury, G.G. and Sudatta Chowdhury. 2007. *Organizing Information: From the Shelf to the Web*. London: Facet.
- CILIP (Chartered Institute of Library and Information Professionals). 2015. “Code of Professional Practice.” <https://www.cilip.org.uk/about/ethics/code-professional-practice>
- Corbin, Brenda. 2003. “The Evolution and Role of the Astronomical Library and Librarian.” In *Information Handling in Astronomy: Historical Vistas*, ed. A. Heck. Astrophysics and Space Science Library 285. New York: Kluwer Academic, 139-155.
- Crovisier, Ronald and Sheila S. Intner. 1987. “Classification for Astronomy: The QB Schedule of the Library of Congress Classification.” *Cataloguing & Classification Quarterly* 7, no. 3: 23-36. doi: 10.1300/J104v07n03\_04
- De Pater, Imke and Jack J. Lissauer. 2015. *Planetary Sciences*. 2nd ed. Cambridge: Cambridge University Press.
- Dick, Steven J. 2013. *Discovery and Classification in Astronomy: Controversy and Consensus*. Cambridge: Cambridge University Press.
- Field, Barry James. 1973. *INSPEC Classification: A Classification Scheme for Physics, Electrotechnology, Computers and Control*. London: Institution of Electrical Engineers.
- Freedman, Roger and William J. Kaufmann. 2016. *Universe*. 10th ed. New York: W.H. Freeman.
- Frey, Katie, Christopher Erdmann, and Alberto Accomazzi. 2015. “Management of the Unified Astronomy Thesaurus.” In *Library and Information Services in Astronomy VII, Open Science at the Frontiers of Librarianship: Proceedings of a Conference held at Astronomical Observatory*

- of *Capodimonte, Naples, Italy, 17-20 June 2014*, ed. András Holl, Dianne Dietrich and Antonella Gasperini. ASP Conference Series, 492. San Francisco: Astronomical Society of the Pacific, 204-7.
- Gnoli, Claudio and Hong Mei. 2006. "Freely Faceted Classification for Web-based Information Retrieval." *New Review of Hypermedia and Multimedia* 12, no. 1: 63-81.
- Green, Simon and Mark Jones, 2015. *An Introduction to the Sun and Stars*. 2nd ed. Cambridge: Cambridge University Press.
- Heck, Andre, 2003. *Information Handling in Astronomy: Historical Vistas. Astrophysics and Space Science Library*, 285. New York: Kluwer Academic Publishers.
- Hedden, Heather. 2008. "How Semantic Tagging Increases Findability." *EContent* 31, no. 8: 38-43.
- Herner, Saul and Robert S. Meyer. 1957. "Classifying and Indexing for the Special Library." *Science* 125, no. 3252: 799-803. DOI: 10.1126/science.125.3252.799
- Hider, Philip and Ross Harvey. 2008. *Organising Knowledge in a Global Society: Principles and Practices in Libraries and Information Centres*. Rev. ed. Topics in Australasian Library and Information Studies 29. Wagga Wagga: Centre for Information Studies, Charles Sturt University.
- Hoskin, Michael. 2003. *The History of Astronomy: A Very Short Introduction*. Oxford: Oxford University Press
- Hunter, Eric J. 2018. *Classification Made Simple*. 2nd ed. London: Routledge.
- Ibekwe-SanJuan, Fidelia. 2008. "The Impact of Geographic Location on the Development of a Specialty Field: A Case Study of Sloan Digital Sky Survey in Astronomy." *Knowledge Organization* 35, : 239- 50.
- INSPEC. 1995. *Classification 1995: A Classification Scheme for the INSPEC Database*. [London]: INSPEC.
- INSPEC. 1999. *Classification 1999: A Classification Scheme for the INSPEC Database*. [London]: INSPEC.
- INSPEC. 2004. *INSPEC Classification 2004*. [London]: INSPEC.
- INSPEC. 1976. *Concordance to the INSPEC Classification, 1969-1976*. London: INSPEC.
- Institute of Astronomy. 2017. "Dewhirst Classification," Library Guide (web page). <http://www.ast.cam.ac.uk/library/guide/dewhirst>.
- Institution of Electrical Engineers. 1988. *INSPEC Classification: A Classification Scheme for Physics, Electrotechnology, Computers, and Control*. [London]: Institution of Electrical Engineers.
- Institution of Electrical Engineers. 1982. *INSPEC Classification: A Classification Scheme for Physics, Electrotechnology, Computers, and Control*. [London]: Institution of Electrical Engineers.
- Institution of Electrical Engineers. 1981. *INSPEC Classification: A Classification Scheme for Physics, Electrotechnology, Computers, and Control*. [London]: Institution of Electrical Engineers.
- Institution of Electrical Engineers. 1978. *INSPEC Classification: A Classification Scheme for Physics, Electrotechnology, Computers, and Control*. London: Institution of Electrical Engineers.
- Jones, Mark H., Robert J.A. Lambourne and Stephen Serjeant, eds. 2015. *An Introduction to Galaxies and Cosmology*. 2nd ed. Cambridge: Cambridge University Press.
- Kumbhar, Rajendra. 2012. *Library Classification Trends in the 21<sup>st</sup> Century*. Oxford: Chandos Publishing.
- La Barre, Kathryn. 2006. The Use of Faceted Analytico-Synthetic Theory as Revealed in the Practice of Website Construction and Design. PhD diss., Indiana University.
- Lawson, Karen G. 2009. "Mining Social Tagging Data for Enhanced Subject Access for Readers and Researchers." *The Journal of Academic Librarianship* 35: 574-82.
- Library of Congress. 2017. "Q Text," Library of Congress Classification PDF files (web page). [https://www.loc.gov/aba/publications/FreeLCC/LCC\\_Q2019TEXT.pdf](https://www.loc.gov/aba/publications/FreeLCC/LCC_Q2019TEXT.pdf)
- Losee, Robert M. 1995. "How to Study Classification Systems and their Appropriateness for Individual Institutions." *Cataloging & Classification Quarterly* 19, nos. 3/4: 45-58. doi: 10.1300/J104v19n03\_05
- McBride, Neil and Iain Gilmour, eds. 2004. *An Introduction to the Solar System*. Cambridge: Cambridge University Press.
- Mendes, Luiz H., Jennie Quiñonez-Skinner and Danielle Skaggs. 2009. "Subjecting the Catalog to Tagging." *Library Hi Tech* 27: 30-41.
- Mills, Jack. 2004. "Faceted Classification and Logical Division in Information Retrieval." *Library Trends* 52, no. 3: 541-70.
- Pera, Maria Soledad, William Lund and Yiu-Kai Ng. 2009. "A Sophisticated Library Search Strategy using Folksonomies and Similarity Matching." *Journal of the American Society for Information Science and Technology* 60: 1392-1406.
- Ricketts, Sandra, Christina Birdie, and Eva Isaksson. 2007. "Ontologies for Astronomy." In *Library and Information Services in Astronomy V, Common Challenges, Uncommon Solutions: Proceedings of a Conference co-hosted by the Harvard-Smithsonian Center for Astrophysics and Massachusetts Institute of Technology Cambridge, 18-21 June 2006*, ed. Sandra Ricketts, Christina Birdie and Eva Isaksson. ASP Conference Series 377. San Francisco: Astronomical Society of the Pacific, 193-6.
- Ranganathan, Shiyali Ramamrita. 1937. *Prolegomena to Library Classification*. Madras: Madras Library Association.
- Rowley, Jennifer and John Farrow. 2000. *Organizing Knowledge: An Introduction to Managing Access to Information*. 3rd ed. Aldershot: Ashgate Publishing.

- Rowley, Jennifer and Richard Hartley. 2008. *Organizing Knowledge: An Introduction to Managing Access to Information*. 4th ed. Aldershot: Ashgate Publishing.
- Sayers, W. C. Berwick. (1926) 1975. *Sayers' Manual of Classification for Librarians*. 5th ed. [rev. by] Arthur Maltby. London: André Deutsch.
- Tunkelang, Daniel. 2009. *Faceted Search*. Synthesis Lectures on Information Concepts, Retrieval, and Services 5. San Rafael: Morgan & Claypool.
- Nasir Uddin, Mohammad and Paul Janecek. 2007 "The Implementation of Faceted Classification in Web Site Searching and Browsing." *Online Information Review* 31, no. 2: 218-33.
- Unified Astronomy Thesaurus*. n.d., s.v. "Hierarchical Browse: Supernovae." Accessed October 13, 2017. <http://astrothesaurus.org/thesaurus/hierarchical-browse/>
- Unified Astronomy Thesaurus. 2015. "Unified Astronomy Thesaurus v.1 is Here!" *Unified Astronomy Thesaurus* (blog). December 23. <http://astrothesaurus.org/blog/>
- Unified Astronomy Thesaurus. 2017. "Version 2.0.0 of the Unified Astronomy Thesaurus." *Unified Astronomy Thesaurus* (blog). January 31. <http://astrothesaurus.org/blog/>
- Vickery, Brian. 1960. *Faceted Classification: A Guide to Construction and Use of Special Schemes*. London: Aslib.
- Wilkins, George. 1989. "The Revision of the Universal Decimal Classification for Astronomy." *International Astronomical Union Colloquium* 110: 70-71. <https://doi.org/10.1017/S0252921100002955>
- Wilkins, George. 1995. "Revision of UDC 52 for Astronomy: Report on the "Birds of Feather" session at LISA-II." *Vistas in Astronomy* 39, no. 2: 263-264.