

Reihe 20

Rechnerunter-
stützte Verfahren

Nr. 475

Daniel Marolt,
Reutlingen

SWARM: A Novel Methodology for Integrated Circuit Layout Automation Based on Principles of Self-organization

Berichte aus dem **Electronics & Drives Lab** der
Hochschule Reutlingen · Prof. Dr.-Ing. Jürgen Scheible (Hrsg.)



Hochschule Reutlingen
Reutlingen University

SWARM: A Novel Methodology for Integrated Circuit Layout Automation Based on Principles of Self-organization

Daniel Marolt

Fortschritt-Berichte VDI

Reihe 20

Rechnerunterstützte
Verfahren

Dr.-Ing. Daniel Marolt,
Reutlingen

Nr. 475

SWARM:

A Novel Methodology for
Integrated Circuit Layout
Automation Based on
Principles of
Self-organization

Berichte aus dem **Electronics & Drives Lab** der
Hochschule Reutlingen · Prof. Dr.-Ing. Jürgen Scheible (Hrsg.)



Hochschule Reutlingen
Reutlingen University

Marolt, Daniel

SWARM: A Novel Methodology for Integrated Circuit Layout Automation Based on Principles of Self-organization

Fortschr.-Ber. VDI Reihe 20 Nr. 475. Düsseldorf: VDI Verlag 2020.

256 Seiten, 112 Bilder, 26 Tabellen.

ISBN 978-3-18-347520-9, ISSN 0178-9473,

€ 85,00/VDI-Mitgliederpreis € 76,50.

Keywords: Integrated Circuits – Analog Layout – Floorplanning – Placement – Routing – Constraints – Electronic Design Automation – Optimization Algorithms – Procedural Generators – Multi-Agent Systems

After more than three decades of electronic design automation, most layouts for analog integrated circuits are still handcrafted in a laborious manual fashion today. This book presents *Self-organized Wiring and Arrangement of Responsive Modules (SWARM)*, a novel interdisciplinary methodology addressing the design problem with a decentralized multi-agent system. Its basic approach, similar to the roundup of a sheep herd, is to let autonomous layout modules interact with each other inside a successively tightened layout zone. Considering various principles of self-organization, remarkable overall solutions can result from the individual, local, selfish actions of the modules. Displaying this fascinating phenomenon of *emergence*, examples demonstrate SWARM's suitability for floorplanning purposes and its application to practical place-and-route problems. From an academic point of view, SWARM combines the strengths of procedural generators with the assets of optimization algorithms, thus paving the way for a new automation paradigm called *bottom-up meets top-down*.

Bibliographische Information der Deutschen Bibliothek

Die Deutsche Bibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliographie; detaillierte bibliographische Daten sind im Internet unter www.dnb.de abrufbar.

Bibliographic information published by the Deutsche Bibliothek

(German National Library)

The Deutsche Bibliothek lists this publication in the Deutsche Nationalbibliographie (German National Bibliography); detailed bibliographic data is available via Internet at www.dnb.de.

© VDI Verlag GmbH · Düsseldorf 2020

Alle Rechte, auch das des auszugsweisen Nachdruckes, der auszugsweisen oder vollständigen Wiedergabe (Fotokopie, Mikrokopie), der Speicherung in Datenverarbeitungsanlagen, im Internet und das der Übersetzung, vorbehalten.

Ausgenommen sind hiervon die Rechte der Universität Stuttgart, die die Inhalte der vorliegenden Arbeit innerhalb einer Dissertation im Jahre 2018 veröffentlicht hat: Daniel Marolt, "Layout Automation in Analog IC Design with Formalized and Nonformalized Expert Knowledge", Ph.D. Thesis, University of Stuttgart, Dec. 2018, DOI: 10.18419/opus-10231, URL: <http://elib.uni-stuttgart.de/handle/11682/10248>.

Als Manuskript gedruckt. Printed in Germany.

ISSN 0178-9473

ISBN 978-3-18-347520-9

Preface

*It is necessary sometimes to take one
step backward to take two steps forward.*

Vladimir Ilyich Ulyanov (Russian revolutionary)

On January 9, 2007, in a keynote address at the Macworld Conference & Expo held in San Francisco, Apple CEO Steve Jobs told his audience that “every once in a while, a revolutionary product comes along that changes everything”. With these words, Jobs introduced Apple’s first-generation iPhone. And indeed, a revolutionary product it was.

How did Apple achieve that? Instead of trying to merely improve the available concepts of smartphones, the developers set out to –as Jobs put it– reinvent the phone. But before inventing something new by exploring promising ideas, they first took a step back and thoroughly investigated the existing problems. In particular, they focused on the downsides of the traditional smartphones’ keyboards, which were cumbersome to use, took valuable space away from the display, had fixed control buttons regardless of the application, and stayed always there whether you needed them or not. Based on this examination, Apple came to the conclusion that they had to provide something entirely new: a triple-layered capacitive multi-touch screen. Above everything else, it was this invention that turned the iPhone into a breakthrough device and unleashed a skyrocketing market segment. By 2019, worldwide smartphone revenues have reached an incredible amount of 404.6 billion U.S. dollars.

Below any modern smartphone’s surface, the user’s finger gestures are processed by an *integrated circuit* (IC) which translates the fingers’ actions into discrete digital data. Now, the global pursuit of *digitalization* suggests that analog technology is antiquated, but the opposite is the case. Any machine’s external environment –including the user’s finger– is (and will always be) analog. With the rising interconnectedness of the world and the increasing interaction between a device and its surroundings due to a sophistication of analog-digital interfaces (for example, a smartphone nowadays has up to a dozen different types of sensory elements), analog circuitry remains indispensable and even gains more and more importance for the functional diversification of microelectronics and therefore the digital transformation of our time.

Before an IC can be fabricated, the circuit has to be designed and must be turned into a physical layout defining the geometries of the photolithographical masks needed for the fabrication. Both steps can be facilitated via methods and tools from the field of *electronic design automation* (EDA). In fact, modern ICs would –because of their tremendous complexity– be impossible to realize without the aid of EDA, which can thus be considered a key technology for today’s unparalleled advancement of semiconductor products and their prominence in every domain of our lives. Unfortunately, in contrast to the digital domain, the circuit design and especially the layout creation of analog circuits still suffers from a low degree of automation because most analog automation approaches keep on struggling to find evident industrial acceptance – despite continuing efforts of improvement. A revolution is required.

The task of analog layout automation is addressed by the dissertation *Layout Automation in Analog IC Design with Formalized and Nonformalized Expert Knowledge* [1], which the book at hand is based on. But reflecting Jobs’ attitude, the intent of that thesis is not just to enhance existing automation approaches. Instead, Part I of the dissertation takes a step back and first of all performs a profound examination of the underlying problems. Then, a fundamentally new and highly interdisciplinary automation methodology is conceived, denoted as *Self-organized Wiring and Arrangement of Responsive Modules* (SWARM). Part II of the dissertation conveys several ideas from other disciplines which inspired the conception of SWARM, before describing the new methodology in detail. Finally, Part III covers the first-generation implementation of SWARM and discusses its results.

The latter two parts of the dissertation –which concentrate on the novel approach of the SWARM methodology– are reprinted in the book at hand, thereby encapsulating the practical product of the first part’s academic ruminations in tangible form. The book’s first three chapters 1 to 3 correspond to the dissertation’s chapters 5 to 7 (originally making up Part II). The last three chapters 4 to 6 here match the dissertation chapters 8 to 10 (which constitute the original Part III). Regarding the omitted Part I, the reader is kindly referred to the original dissertation, which is publicly available in electronic form and can be downloaded¹ from OPUS, the publication server of the University of Stuttgart. In the following text, concrete references to the first part of the dissertation have been supplemented with a citation of [1]. Otherwise, the original contents have been adopted without any modifications.

¹<https://dx.doi.org/10.18419/opus-10231>

Contents

	The Methodology	1
1	Clarification of the Task	1
1.1	Technical Aim	1
1.2	Scientific Challenge	2
1.3	Practical Ambition	3
2	An Interdisciplinary Approach – Preliminary Considerations	4
2.1	Divide and Conquer – Distribute and Conquer	4
2.2	Decentralization, Self-organization, Emergence	5
2.3	Emergence: A Natural Phenomenon	7
2.3.1	Forms of Emergence	8
2.3.2	Emergence in Biology	9
2.3.3	Emergence in Physics	10
2.3.4	Emergence in Mathematics	11
2.4	Principles of Self-organization	13
2.4.1	The Basic Constituents of Self-organization	13
2.4.2	Operational Closure and Structural Coupling	15
2.4.3	The Edge of Chaos	15
2.4.4	Recursivity and Feedback	16
2.4.5	Stigmergic Interaction	17
2.4.6	Reducing Friction and Promoting Synergy	17
2.4.7	The Virtue of Selfishness	18
2.4.8	Law of Requisite Variety	19
2.5	Models of Decentralized Systems: A Form of Artificial Life	20
2.5.1	Cellular Automata	20
2.5.2	Game Theory	22
2.5.3	Multi-Agent Systems	24
2.5.4	Agent-based Models of Collective Motion	26
2.6	Adaptation to the Problem of Analog Layout Design	27

3	The Methodology: Self-organized Wiring and Arrangement of Responsive Modules	29
3.1	Overview of the SWARM Methodology	30
3.1.1	The Three Core Concepts of SWARM	30
3.1.2	Depiction of SWARM's Self-organization Flow	31
3.2	Responsive Modules	34
3.2.1	Context Awareness	35
3.2.2	Governing Modules	36
3.2.2.1	Temporary Context Duplication	36
3.2.2.2	Co-transformations in a Governing Module	39
3.2.3	Module Associations	39
3.2.3.1	Supreme Commanders	41
3.2.3.2	Hierarchical Module Associations	42
3.2.3.3	Co-transformations in a Module Association	43
3.2.3.4	Coordinate System Issues	46
3.2.4	Layout Variability	50
3.2.4.1	Intrinsic Variability	50
3.2.4.2	Cumulative Variability	51
3.2.4.3	Variability of Primitive Devices	52
3.2.4.4	Variability of Simple Modules	53
3.3	Module Interaction	56
3.3.1	Assessment of the Participant's Condition	58
3.3.1.1	Interference	59
3.3.1.2	Turmoil	62
3.3.1.3	Protrusion	67
3.3.1.4	Wounds	70
3.3.1.5	Noncompliance	73
3.3.2	Perception of the Free Peripheral Space	75
3.3.2.1	Geometrical Recipe for Perceiving the Free Peripheral Space	76
3.3.2.2	Pervasion (Obstacles in the Free Peripheral Space)	77
3.3.3	Exploration and Evaluation of Possible Actions	79
3.3.3.1	Native Actions	80
3.3.3.2	Custom Actions	94
3.3.3.3	Full Variability	96
3.3.4	Execution of the Preferred Action	98
3.3.4.1	Action Preference	98
3.3.4.2	Action Execution	104
3.4	Interaction Control	111

3.4.1	Scaling the Layout Zone	111
3.4.1.1	Setting and Enlarging the Layout Zone	111
3.4.1.2	Tightening the Layout Zone	116
3.4.1.3	Considering Rectilinear Layout Zones	120
3.4.2	Transient Tightening Policies	126
3.4.2.1	Progressive Tightening	127
3.4.2.2	Regressive Tightening	134
3.4.3	Comfort Padding	146
3.4.3.1	Solid Comfort Padding	146
3.4.3.2	Volatile Comfort Padding	147
3.5	Final Remarks About the Conception of SWARM	152
3.5.1	Comparison with Optimization Algorithms	152
3.5.2	Comparison with Decentralized Systems	158
	The Implementation	166
4	Implementation and Results	166
4.1	Examples of Emergence in SWARM	166
4.1.1	Example of an Emerging Collective Motion	167
4.1.2	Examples of an Emerging Optimal Layout Outcome	168
4.1.3	Examples of Nonterminating Interaction Cycles	178
4.2	Practical Floorplanning Examples	183
4.2.1	Floorplanning Example with Rectangular Outline	183
4.2.2	Floorplanning Example with Nonrectangular Outline	185
4.2.3	Assessment	186
4.3	Practical Place-and-Route Examples	187
4.3.1	Usage of SWARM in the Design Flow	187
4.3.2	Symmetric P-Input Operational Transconductance Amplifier	190
4.3.3	Folded Cascode P-Input Operational Transconductance Amplifier	198
4.3.4	Assessment	202
4.3.4.1	Assessment Regarding Layout Quality	203
4.3.4.2	Assessment Regarding Design Productivity	208
5	Towards a Holistic Design Flow on Module Level	214
5.1	Cognate Topics Across the Three Different Design Domains	214
5.1.1	Works Concerning the Physical Domain	216
5.1.2	Works Concerning the Structural Domain	216
5.1.3	Works Concerning the Behavioral Domain	217

5.2	The Scientific Value of SWARM: Meeting Bottom-up With Top-down	217
6	Summary and Outlook	220
	Listings	225
Vocabulary		225
	Mathematical Operators	225
	Geometrical Operators	227
	Symbols	228
References		231
	Bibliography	231
	Further Sources	247