

VDI

REIHE 10  
INFORMATIK/  
KOMMUNIKATION



# Fortschritt- Berichte VDI

M.Sc. Volkan Gezer,  
Kaiserslautern

NR. 874

## A Modular and Scalable Software Reference Architecture for Decentralized Real-Time Execution on Edge Computing

BAND  
1|1

VOLUME  
1|1



Werkzeugmaschinen  
und Steuerungen  
TU KAISERSLAUTERN



# A Modular and Scalable Software Reference Architecture for Decentralized Real-Time Execution on Edge Computing

Dem Fachbereich Maschinenbau und Verfahrenstechnik  
der Technischen Universität Kaiserslautern  
zur Erlangung des akademischen Grades

**Doktor-Ingenieur (Dr.-Ing.)**

genehmigte  
**Dissertation**

von  
Herrn  
**M.Sc. Volkan Gezer**  
aus Istanbul

Tag der mündlichen Prüfung: 06.10.2021

Dekan: Prof. Dr.-Ing. Tilmann Beck

Promotionskommission:

Vorsitzende: Prof. Dr.-Ing. Kristin de Payrebrune

1. Berichterstatter: Prof. Dr.-Ing. Martin Ruskowski

2. Berichterstatter: Prof. Dr. Paul Lukowicz

D 386



VDI

REIHE 10  
INFORMATIK/  
KOMMUNIKATION

# Fortschritt- Berichte VDI



M.Sc. Volkan Gezer,  
Kaiserslautern

NR. 874

## A Modular and Scalable Software Reference Architecture for Decentralized Real-Time Execution on Edge Computing

BAND  
1|1

VOLUME  
1|1

**WS KL** Werkzeugmaschinen  
und Steuerungen  
TU KAISERSLAUTERN

Gezer, Volkan

## **A Modular and Scalable Software Reference Architecture for Decentralized Real-Time Execution on Edge Computing**

Fortschritt-Berichte VDI, Reihe 10, Nr. 874. Düsseldorf: VDI Verlag 2021.

160 Seiten, 37 Bilder, 9 Tabellen.

ISBN 987-3-18-387410-1, ISSN 0178-9627,

57,00 EUR/VDI-Mitgliederpreis: 51,30 EUR

**Für die Dokumentation:** edge computing – echtzeit scheduling – fog computing – aufgabe übertragung – edge in produktion – edge server – software referenzarchitektur

**Keywords:** edge computing – real-time scheduling – fog computing – task offloading – edge in manufacturing – edge server – software reference architecture

Edge Computing is expected to solve the latency and best-effort delivery problems of the renowned Cloud Computing. However, Edge Computing must be supported with a vendor-independent, scalable, and decentralized software reference architecture to fully exploit its benefits. This dissertation explains the enablers, requirements, and conceptual approach to create such architecture, and validates it with a framework to show its possibilities.

### **Bibliographische Information der Deutschen Bibliothek**

Die Deutsche Bibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliographie; detaillierte bibliographische Daten sind im Internet unter [www.dnb.de](http://www.dnb.de) abrufbar.

### **Bibliographic information published by the Deutsche Bibliothek (German National Library)**

The Deutsche Bibliothek lists this publication in the Deutsche Nationalbibliographie (German National Bibliography); detailed bibliographic data is available via Internet at [www.dnb.de](http://www.dnb.de).

D 386

Dissertation Technische Universität Kaiserslautern

© VDI Verlag GmbH | Düsseldorf 2021

Alle Rechte, auch das des auszugsweisen Nachdruckes, der auszugsweisen oder vollständigen Wiedergabe (Fotokopie, Mikrokopie), der Speicherung in Datenverarbeitungsanlagen, im Internet und das der Übersetzung, vorbehalten. Als Manuskript gedruckt. Printed in Germany.

ISBN 987-3-18-387410-1, ISSN 0178-9627

# Foreword

The basis for this thesis originally stemmed from my position as a Researcher at German Research Center for Artificial Intelligence (DFKI). Firstly, I would like to thank Professor Martin Ruskowski, for giving me the chance to work on the related projects that allowed me to perform research on this area and deepen my knowledge.

Additional thanks go to Prof. Dr.-Ing. Kristin de Payrebrune for chairing the examination board and to Prof. Dr. Paul Lukowicz for accompanying my examination as a referee. I also would like to thank my colleagues at DFKI - especially Andre Hennecke, Christiane Plociennik, Max Birtel, Moritz Ohmer, Pascal Rübél - for their valuable inputs and feedbacks to my work, also colleagues in Team Shannon for the working atmosphere, team collaboration, openness for discussion, and the team activities within or outside the working hours, and Dr. Achim Wagner for supporting me during structuring my thesis with status meetings, and corrections.

Special thanks go to my family: my mother Billur, my father Sebahattin, and my wife, Elif Nur, who kept me motivated and patiently supported me during the stressful times.

Volkan Gezer



# Contents

<b>Foreword</b>	<b>III</b>
<b>Abstract</b>	<b>VII</b>
<b>Kurzfassung</b>	<b>VIII</b>
<b>List of Abbreviations</b>	<b>IX</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Problem Definition . . . . .	5
1.2 Objectives . . . . .	8
1.3 Approach . . . . .	10
<b>2 State of the Art</b>	<b>11</b>
2.1 Cloud Computing and Edge Computing . . . . .	11
2.1.1 Related Work . . . . .	17
2.1.2 Requirements . . . . .	23
2.1.3 Enablers . . . . .	25
2.2 Real-Time Computing . . . . .	32
2.2.1 Challenges in Real-Time Systems . . . . .	34
2.2.2 Scheduling for Real-Time Processing . . . . .	39
2.3 Summary . . . . .	54
<b>3 Scheduling and Decision Making Methodology</b>	<b>55</b>
3.1 NAPATA Scheduling . . . . .	55
3.2 Problem Formulation on Server Selection . . . . .	61
3.3 Summary . . . . .	64
<b>4 Software Reference Architecture</b>	<b>65</b>
4.1 Edge Server and End Device Concepts . . . . .	68
4.2 Service and Task . . . . .	72
4.2.1 Legacy . . . . .	74
4.2.2 Simple . . . . .	74
4.2.3 Simple Periodic . . . . .	74

4.2.4	Service Behaviours . . . . .	75
4.2.5	Service Parameters . . . . .	76
4.3	Decision Making . . . . .	78
4.4	Summary . . . . .	82
<b>5</b>	<b>Implementation and Validation</b>	<b>83</b>
5.1	Edge Server Components . . . . .	83
5.1.1	Configurator . . . . .	85
5.1.2	TCP Server . . . . .	88
5.1.3	Message Router . . . . .	88
5.1.4	Security Protocols . . . . .	89
5.1.5	Resource Monitor . . . . .	89
5.1.6	Orchestrator . . . . .	90
5.1.7	Virtual Processors . . . . .	92
5.1.8	Other Components . . . . .	93
5.2	Communication . . . . .	93
5.3	Standard Commands . . . . .	96
5.4	Requesting Tasks . . . . .	98
5.5	Topology Designer . . . . .	103
5.6	Edge Server Creation . . . . .	105
5.7	Validation of Framework . . . . .	107
5.8	Summary . . . . .	115
<b>6</b>	<b>Conclusion and Outlook</b>	<b>116</b>
6.1	Conclusion . . . . .	116
6.2	Outlook . . . . .	118
<b>A</b>	<b>Appendix</b>	<b>120</b>
A.1	Edge Topology Designer File Example . . . . .	120
A.2	Creation of an Edge Server Using RTEF: An Example . . . . .	122
A.3	Definitions . . . . .	125
	<b>Bibliography</b>	<b>129</b>
	<b>Lebenslauf</b>	

# Abstract

Cloud Computing, or the Cloud, became one of the most used technologies in today's world, right after its possibilities had been figured out. It is a renowned technology that enables ubiquitous access to tasks that need collaboration or remote monitoring. It is widely used in daily lives as well as the industry. The paradigm uses Internet Technologies which rely on best-effort communication. Best-effort communication limits the applicability of the technology in the domains where the timing is critical. Edge Computing is a paradigm that is seen as a complementary technology to the Cloud. It is expected to solve the Quality of Service (QoS) and latency problems that are raised due to the increased count of connected devices, and the physical distance between the infrastructure and devices. The Edge Computing adds a new tier between Information Technology (IT) and Operational Technology (OT) and brings the computing power close to the source of the data. Computing power near devices reduces the dependency to the Internet; hence, in case of a network failure, the computation can still continue. Close proximity deployments also enable the application of Edge Computing in the areas where real-time is necessary. Computation and communication in Edge Computing are performed via Edge Servers. This thesis suggests a standardized and hardware-independent software reference architecture for Edge Servers that can be realized as a framework on servers, to be used on domains where the timing is critical. The suggested architecture is scalable, extensible, modular, multi-user supported, and decentralized. In decentralized systems, several precautions must be taken into consideration, such as latencies, delays, and available resources of the neighbouring servers. The resulting architecture evaluates these factors and enables real-time execution. It also hides the complexity of low-level communication and automates the collaboration between Edge Servers to enable seamless offloading in case of a need due to lack of resources. The thesis also validates an exemplary instance of the architecture with a framework, called Real-Time Execution Framework (RTEF), with multiple scenarios. The tasks used are resource-demanding and requested to be executed on an Edge Server in an Edge Network comprising multiple Edge Servers. The servers can make decisions by evaluating their availabilities, and determine the optimal location to execute the task, without causing deadline misses. Even under a heavy load, the decisions made by the servers to execute the tasks on time were correct, and the concept is proven.

# Kurzfassung

Cloud Computing, oder die Cloud, wurde zu einer der meistgenutzten Technologien in der heutigen Welt, gleich nachdem ihre Möglichkeiten entdeckt wurden. Es handelt sich um eine anerkannte Technologie, die einen ubiquitären Zugriff auf Aufgaben ermöglicht, die Zusammenarbeit oder Fernüberwachung erfordern. Sie ist sowohl im täglichen Leben als auch in der Industrie weit verbreitet. Das Paradigma nutzt Internet-Technologien, die auf Best-Effort-Kommunikation beruhen. Die Best-Effort-Kommunikation schränkt die Anwendbarkeit der Technologie in den Bereichen ein, in denen das Timing kritisch ist. Edge Computing ist ein Paradigma, das als eine ergänzende Technologie zur Cloud gesehen wird. Probleme mit der Dienstgüte (QoS) und Latenzzeiten, die durch die steigende Anzahl angeschlossener Geräte und der physischen Entfernung zwischen Infrastruktur und Geräten entstehen, sollen dadurch gelöst werden. Das Edge Computing fügt eine neue Ebene zwischen der Informationstechnologie (IT) und der Betriebstechnologie (OT) hinzu und bringt die Rechenleistung nahe an die Quelle der Daten. Das Näherbringen der Geräte reduziert die Abhängigkeit vom Internet und kann somit Berechnung auch bei einem Netzausfall sicherstellen. Ebenso kann dadurch das Einsatzgebiet des Edge Computing um Bereiche erweitern, in denen Echtzeitfähigkeit gefordert ist. Berechnung und Kommunikation im Edge Computing werden über Edge Server durchgeführt. Diese Dissertation schlägt eine standardisierte und hardwareunabhängige Software-Referenzarchitektur für Edge Server vor, die als Framework auf Servern realisiert werden kann, um sie in zeitkritischen Domänen einzusetzen. Die vorgeschlagene Architektur ist skalierbar, erweiterbar, modular, mehrbenutzerfähig und dezentralisiert. In dezentralen Systemen müssen verschiedene Maßnahmen berücksichtigt werden, wie z.B. Latenzen, Verzögerungen und verfügbare Ressourcen der benachbarten Server. Die resultierende Architektur wertet diese Faktoren aus und ermöglicht die Ausführung in Echtzeit. Sie kapselt auch die Komplexität der Low-Level-Kommunikation und automatisiert die Zusammenarbeit zwischen Edge-Servern, um ein reibungsloses Offloading zu ermöglichen, falls ein Bedarf aufgrund von Ressourcenmangel besteht. Die Dissertation validiert auch eine exemplarische Instanz der Architektur mit einem Framework, genannt Real-Time Execution Framework (RTEF), mit mehreren Szenarien. Die verwendeten Aufgaben sind ressourcenintensiv und sollen auf einem Edge-Server in einem Edge-Netzwerk mit mehreren Edge-Servern ausgeführt werden. Die Server können durch Auswertung ihrer Verfügbarkeiten Maßnahmen ergreifen und den optimalen Ort für die Ausführung der Aufgabe bestimmen, ohne dass es zu Terminüberschreitungen kommt.

# Abbreviations

<b>API</b>	Application Programming Interface
<b>CDN</b>	Content Delivery Networks
<b>CM</b>	Cloud Manufacturing
<b>CPS</b>	Cyber-Physical Systems
<b>CPU</b>	Central Processing Unit
<b>EDF</b>	Earliest Deadline First
<b>ETD</b>	Edge Topology Designer
<b>GPOS</b>	General-Purpose Operating System
<b>HPC</b>	High-Performance Computing
<b>HTTP</b>	HyperText Transfer Protocol
<b>I/O</b>	Input/Output
<b>IoT</b>	Internet of Things
<b>ISO</b>	International Organization for Standardization
<b>IT</b>	Information Technology
<b>LAN</b>	Local Area Network
<b>LST</b>	Least Slack Time
<b>NAPATA</b>	Non-resumable And Preemptible Aperiodic Task
<b>OS</b>	Operating System
<b>OT</b>	Operational Technology
<b>POSIX</b>	Portable Operating System Interface
<b>PSC</b>	program/software/command
<b>QoS</b>	Quality of Service
<b>RTEF</b>	Real-Time Edge Framework
<b>RTOS</b>	Real-Time Operating System
<b>TCP</b>	Transmission Control Protocol
<b>TCP/IP</b>	Transmission Control Protocol/Internet Protocol
<b>UDP</b>	User Datagram Protocol
<b>VM</b>	Virtual Machine
<b>VP</b>	Virtual Processor
<b>WCET</b>	Worst-Case Execution Time
<b>WCEU</b>	Worst-Case Execution Utilization

